



Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para
casquillos cónicos




Pulegge dentate per bussola conica
 Timing belt pulleys for taper bushes
 Zahnriemenscheiben für Spannbüchsen
 Poulies dentées pour moyeux amovibles
 Poleas para correas dentadas para casquillos cónicos




tipo
type 3F




tipo
type 3WF




tipo
type 3W




tipo
type 3A




tipo
type 4F




tipo
type 4WF




tipo
type 5F




tipo
type 5WF




tipo
type 7W




tipo
type 7A




tipo
type 8F



tipo
type 8WF



tipo
type 9W



tipo
type 9A

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos



L 050 - 3/8" (9,525 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTICAS | | CODICE CODE SYMBOL FABRIK- NUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORD- SCHEIBEN TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|---|---|---|--------|--------|--------|--------|-----|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 L 050 | TL50018 | 8F | F22 | 1108 | 28 | 54,57 | 53,81 | 60 | 45 | — | 19,0 | 22,0 | 3 | 0,2 |
| | | 19 L 050 | TL50019 | 8F | F24 | 1108 | 28 | 57,61 | 56,84 | 64 | 45 | — | 19,0 | 22,0 | 3 | 0,2 |
| | | 20 L 050 | TL50020 | 8F | F25 | 1108 | 28 | 60,64 | 59,88 | 66 | 48 | — | 19,0 | 22,0 | 3 | 0,2 |
| | | 21 L 050 | TL50021 | 8F | F26 | 1108 | 28 | 63,67 | 62,91 | 70 | 48 | — | 19,0 | 22,0 | 3 | 0,3 |
| | | 22 L 050 | TL50022 | 8F | F27 | 1108 | 28 | 66,70 | 65,94 | 75 | 51 | — | 19,0 | 22,0 | 3 | 0,3 |
| | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 23 L 050 | TL50023 | 8F | F28 | 1108 | 28 | 69,73 | 68,97 | 79 | 54 | — | 19,0 | 22,0 | 3 | 0,4 |
| | | 24 L 050 | TL50024 | 8F | F28 | 1108 | 28 | 72,77 | 72,00 | 79 | 54 | — | 19,0 | 22,0 | 3 | 0,4 |
| | | 25 L 050 | TL50025 | 8F | F29 | 1108 | 28 | 75,80 | 75,04 | 83 | 56 | — | 19,0 | 22,0 | 3 | 0,5 |
| | | 26 L 050 | TL50026 | 8F | F30 | 1108 | 28 | 78,83 | 78,07 | 87 | 60 | — | 19,0 | 22,0 | 3 | 0,5 |
| | | 27 L 050 | TL50027 | 8F | F30 | 1108 | 28 | 81,86 | 81,10 | 87 | 62 | — | 19,0 | 22,0 | 3 | 0,6 |
| | | 28 L 050 | TL50028 | 8F | F31 | 1108 | 28 | 84,89 | 84,13 | 91 | 65 | — | 19,0 | 22,0 | 3 | 0,6 |
| | | 30 L 050 | TL50030 | 8F | F33 | 1108 | 28 | 90,96 | 90,20 | 97 | 70 | — | 19,0 | 22,0 | 3 | 0,8 |
| | | 32 L 050 | TL50032 | 8F | F34 | 1108 | 28 | 97,02 | 96,26 | 102 | 74 | — | 19,0 | 22,0 | 3 | 0,9 |
| | | 36 L 050 | TL50036 | 8F | F37 | 1108 | 28 | 109,15 | 108,39 | 115 | 85 | — | 19,0 | 22,0 | 3 | 1,2 |
| | | 40 L 050 | TL50040 | 8F | F40 | 1610 | 42 | 121,28 | 120,51 | 128 | 88 | — | 19,0 | 25,0 | 3 | 1,5 |
| | | 44 L 050 | TL50044 | 8WF | F45 | 1610 | 42 | 133,40 | 132,64 | 142 | 88 | 110 | 19,0 | 25,0 | 3 | 1,8 |
| | | 48 L 050 | TL50048 | 8WF | F48 | 1610 | 42 | 145,53 | 144,77 | 150 | 88 | 120 | 19,0 | 25,0 | 3 | 2,3 |
| | | GUSA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | 60 L 050 | TL50060 | 7W | | | 1610 | 42 | 181,91 | 181,15 | — | 92 | 166 | 19,0 | 25,0 |
| 72 L 050 | TL50072 | | 7A | | | 1610 | 42 | 218,30 | 217,53 | — | 92 | 202 | 19,0 | 25,0 | 3 | 3,0 |
| 84 L 050 | TL50084 | | 7A | | | 1610 | 42 | 254,68 | 253,90 | — | 92 | 236 | 19,0 | 25,0 | 3 | 4,0 |
| 96 L 050 | TL50096 | | 7A | | | 2012 | 50 | 291,06 | 290,30 | — | 106 | 270 | 19,0 | 32,0 | 6,5 | 5,5 |
| 120 L 050 | TL50120 | | 7A | | | 2012 | 50 | 363,83 | 363,07 | — | 106 | 343 | 19,0 | 32,0 | 6,5 | 6,8 |

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos

L 075 - 3/8" (9,525 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|--|-------------------------------------|--|---|---|--------|--------|--------|--------|-----|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 L 075 | TL75018 | 3F | F22 | 1108 | 28 | 54,57 | 53,81 | 60 | — | — | 25,0 | 25,0 | — | 0,2 |
| | | 19 L 075 | TL75019 | 3F | F24 | 1108 | 28 | 57,61 | 56,84 | 64 | — | — | 25,0 | 25,0 | — | 0,3 |
| | | 20 L 075 | TL75020 | 3F | F25 | 1108 | 28 | 60,64 | 59,88 | 66 | — | — | 25,0 | 25,0 | — | 0,3 |
| | | 21 L 075 | TL75021 | 3F | F26 | 1108 | 28 | 63,67 | 62,91 | 70 | — | — | 25,0 | 25,0 | — | 0,4 |
| | | 22 L 075 | TL75022 | 3F | F27 | 1108 | 28 | 66,70 | 65,94 | 75 | — | — | 25,0 | 25,0 | — | 0,4 |
| | | 23 L 075 | TL75023 | 3F | F28 | 1108 | 28 | 69,73 | 68,97 | 79 | — | — | 25,0 | 25,0 | — | 0,4 |
| | | 24 L 075 | TL75024 | 3F | F28 | 1108 | 28 | 72,77 | 72,00 | 79 | — | — | 25,0 | 25,0 | — | 0,5 |
| | | 25 L 075 | TL75025 | 3F | F29 | 1108 | 28 | 75,80 | 75,04 | 83 | — | — | 25,0 | 25,0 | — | 0,6 |
| | | 26 L 075 | TL75026 | 3F | F30 | 1108 | 28 | 78,83 | 78,07 | 87 | — | — | 25,0 | 25,0 | — | 0,6 |
| | | 27 L 075 | TL75027 | 3F | F30 | 1108 | 28 | 81,86 | 81,10 | 87 | — | — | 25,0 | 25,0 | — | 0,7 |
| | | 28 L 075 | TL75028 | 3F | F31 | 1108 | 28 | 84,89 | 84,13 | 91 | — | — | 25,0 | 25,0 | — | 0,7 |
| | | 30 L 075 | TL75030 | 3F | F33 | 1108 | 28 | 90,96 | 90,20 | 97 | — | — | 25,0 | 25,0 | — | 0,9 |
| | | 32 L 075 | TL75032 | 3F | F34 | 1108 | 28 | 97,02 | 96,26 | 102 | — | — | 25,0 | 25,0 | — | 1,0 |
| | | 36 L 075 | TL75036 | 3F | F37 | 1610 | 42 | 109,15 | 108,39 | 115 | — | — | 25,0 | 25,0 | — | 1,2 |
| | | 40 L 075 | TL75040 | 3F | F40 | 1610 | 42 | 121,28 | 120,51 | 128 | — | — | 25,0 | 25,0 | — | 1,7 |
| | | 44 L 075 | TL75044 | 3WF | F45 | 1610 | 42 | 133,40 | 132,64 | 142 | 90 | 110 | 25,0 | 25,0 | — | 2,1 |
| | | 48 L 075 | TL75048 | 3WF | F48 | 1610 | 42 | 145,53 | 144,77 | 150 | 92 | 120 | 25,0 | 25,0 | — | 2,5 |
| | | GHSA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 L 075 | TL75060 | 3W | | 1610 | 42 | 181,91 | 181,15 | — | 92 | 166 | 25,0 | 25,0 |
| 72 L 075 | TL75072 | | | 3A | | 1610 | 42 | 218,30 | 217,53 | — | 92 | 202 | 25,0 | 25,0 | — | 4,0 |
| 84 L 075 | TL75084 | | | 7A | | 2012 | 50 | 254,68 | 253,90 | — | 92 | 236 | 25,0 | 32,0 | — | 5,2 |
| 96 L 075 | TL75096 | | | 7A | | 2012 | 50 | 291,06 | 290,30 | — | 106 | 270 | 25,0 | 32,0 | 3,5 | 6,5 |
| 120 L 075 | TL75120 | | | 7A | | 2012 | 50 | 363,83 | 363,07 | — | 106 | 343 | 25,0 | 32,0 | 3,5 | 7,6 |

L 100 - 3/8" (9,525 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|--|-------------------------------------|--|---|---|--------|--------|--------|--------|-----|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 L 100 | TL10018 | 5F | F22 | 1108 | 28 | 54,57 | 53,81 | 60 | — | 38 | 31,0 | 22,0 | 9,0 | 0,2 |
| | | 19 L 100 | TL10019 | 5F | F24 | 1108 | 28 | 57,61 | 56,84 | 64 | — | 38 | 31,0 | 22,0 | 9,0 | 0,3 |
| | | 20 L 100 | TL10020 | 5F | F25 | 1108 | 28 | 60,64 | 59,88 | 66 | — | 45 | 31,0 | 22,0 | 9,0 | 0,4 |
| | | 21 L 100 | TL10021 | 5F | F26 | 1108 | 28 | 63,67 | 62,91 | 70 | — | 45 | 31,0 | 22,0 | 9,0 | 0,4 |
| | | 22 L 100 | TL10022 | 5F | F27 | 1108 | 28 | 66,70 | 65,94 | 75 | — | 48 | 31,0 | 22,0 | 9,0 | 0,4 |
| | | 23 L 100 | TL10023 | 5F | F28 | 1108 | 28 | 69,73 | 68,97 | 79 | — | 52 | 32,0 | 22,0 | 10,0 | 0,5 |
| | | 24 L 100 | TL10024 | 5F | F28 | 1108 | 28 | 72,77 | 72,00 | 79 | — | 52 | 32,0 | 22,0 | 10,0 | 0,6 |
| | | 25 L 100 | TL10025 | 5F | F29 | 1108 | 28 | 75,80 | 75,04 | 83 | — | 54 | 32,0 | 22,0 | 10,0 | 0,6 |
| | | 26 L 100 | TL10026 | 5F | F30 | 1108 | 28 | 78,83 | 78,07 | 87 | — | 60 | 32,0 | 22,0 | 10,0 | 0,7 |
| | | 27 L 100 | TL10027 | 5F | F30 | 1108 | 28 | 81,86 | 81,10 | 91 | — | 60 | 32,0 | 22,0 | 10,0 | 0,8 |
| | | 28 L 100 | TL10028 | 5F | F31 | 1108 | 28 | 84,89 | 84,13 | 91 | — | 65 | 32,0 | 22,0 | 10,0 | 0,8 |
| | | 30 L 100 | TL10030 | 5F | F33 | 1210 | 32 | 90,96 | 90,20 | 97 | — | 71 | 32,0 | 25,0 | 10,0 | 0,9 |
| | | 32 L 100 | TL10032 | 5F | F34 | 1210 | 32 | 97,02 | 96,26 | 102 | — | 75 | 32,0 | 25,0 | 7,0 | 1,0 |
| | | 36 L 100 | TL10036 | 5F | F37 | 1610 | 42 | 109,15 | 108,39 | 115 | — | 86 | 32,0 | 25,0 | 7,0 | 1,4 |
| | | 40 L 100 | TL10040 | 5F | F40 | 1610 | 42 | 121,28 | 120,51 | 128 | — | 96 | 32,0 | 25,0 | 7,0 | 1,7 |
| | | 44 L 100 | TL10044 | 5WF | F45 | 1610 | 42 | 133,40 | 132,64 | 142 | 90 | 110 | 32,0 | 25,0 | — | 2,3 |
| | | 48 L 100 | TL10048 | 5WF | F48 | 1610 | 42 | 145,53 | 144,77 | 150 | 92 | 120 | 32,0 | 25,0 | 7,0 | 2,7 |
| | | GHSA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 L 100 | TL10060 | 9W | | 1610 | 42 | 181,91 | 181,15 | — | 92 | 166 | 32,0 | 25,0 |
| 72 L 100 | TL10072 | | | 3A | | 2012 | 50 | 218,30 | 217,53 | — | 92 | 202 | 32,0 | 32,0 | — | 4,4 |
| 84 L 100 | TL10084 | | | 3A | | 2012 | 50 | 254,68 | 253,90 | — | 92 | 236 | 32,0 | 32,0 | — | 6,0 |
| 96 L 100 | TL10096 | | | 3A | | 2012 | 50 | 291,06 | 290,30 | — | 106 | 270 | 32,0 | 32,0 | — | 7,1 |
| 120 L 100 | TL10120 | | | 3A | | 2012 | 50 | 363,83 | 363,07 | — | 106 | 343 | 32,0 | 32,0 | — | 8,5 |

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos



H 100 - 1/2" (12,7 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|------|------|------|------|-----|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 16 H100 | TH10016 | 5F | F26 | 1108 | 28 | 64,68 | 63,31 | 70 | — | 45 | 31,0 | 22,0 | 9,0 | 0,4 |
| | | 18 H100 | TH10018 | 5F | F28 | 1210 | 32 | 72,77 | 71,39 | 79 | — | 52 | 31,0 | 25,0 | 6,0 | 0,5 |
| | | 19 H100 | TH10019 | 5F | F29 | 1210 | 32 | 76,81 | 75,44 | 83 | — | 56 | 31,0 | 25,0 | 6,0 | 0,6 |
| | | 20 H100 | TH10020 | 5F | F30 | 1210 | 32 | 80,55 | 79,48 | 87 | — | 60 | 31,0 | 25,0 | 6,0 | 0,7 |
| | | 21 H100 | TH10021 | 5F | F31 | 1210 | 32 | 84,89 | 83,52 | 91 | — | 64 | 32,0 | 25,0 | 7,0 | 0,8 |
| | | 22 H100 | TH10022 | 5F | F32 | 1210 | 32 | 88,94 | 87,56 | 93 | — | 67 | 32,0 | 25,0 | 7,0 | 0,9 |
| | | 23 H100 | TH10023 | 5F | F33 | 1610 | 42 | 92,98 | 91,61 | 97 | — | 70 | 32,0 | 25,0 | 7,0 | 0,9 |
| | | 24 H100 | TH10024 | 5F | F34 | 1610 | 42 | 97,02 | 95,65 | 102 | — | 74 | 32,0 | 25,0 | 7,0 | 1,0 |
| | | 25 H100 | TH10025 | 5F | F35 | 1610 | 42 | 101,06 | 99,69 | 106 | — | 77 | 32,0 | 25,0 | 7,0 | 1,0 |
| | | 26 H100 | TH10026 | 5F | F36 | 1610 | 42 | 105,11 | 103,73 | 112 | — | 82 | 32,0 | 25,0 | 7,0 | 1,2 |
| | | 27 H100 | TH10027 | 5F | F37 | 1610 | 42 | 109,15 | 107,78 | 115 | — | 85 | 32,0 | 25,0 | 7,0 | 1,3 |
| | | 28 H100 | TH10028 | 5F | F38 | 1610 | 42 | 113,19 | 111,82 | 120 | — | 90 | 32,0 | 25,0 | 7,0 | 1,5 |
| | | 30 H100 | TH10030 | 5F | F40 | 1610 | 42 | 121,28 | 119,90 | 128 | — | 98 | 32,0 | 25,0 | 7,0 | 1,7 |
| | | 32 H100 | TH10032 | 5WF | F42 | 1610 | 42 | 129,36 | 127,99 | 135 | 80 | 106 | 32,0 | 25,0 | 7,0 | 2,0 |
| | | 36 H100 | TH10036 | 5WF | F48 | 1610 | 42 | 145,53 | 144,16 | 150 | 92 | 121 | 32,0 | 25,0 | 7,0 | 2,7 |
| | | 40 H100 | TH10040 | 5WF | F52 | 1610 | 42 | 161,70 | 160,33 | 168 | 92 | 138 | 32,0 | 25,0 | 7,0 | 3,6 |
| 44 H100 | TH10044 | 3WF | F55 | 2012 | 50 | 177,87 | 176,50 | 184 | 106 | 152 | 32,0 | 32,0 | — | 3,8 | | |
| 48 H100 | TH10048 | 3WF | F59 | 2012 | 50 | 194,04 | 192,67 | 200 | 106 | 169 | 32,0 | 32,0 | — | 3,2 | | |
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 H100 | TH10060 | 9A | | 2012 | 50 | 242,55 | 241,18 | — | 92 | 223 | 34,0 | 32,0 | 1,0 | 4,8 |
| | | 72 H100 | TH10072 | 9A | | 2012 | 50 | 291,06 | 289,69 | — | 92 | 270 | 34,0 | 32,0 | 1,0 | 5,7 |
| | | 84 H100 | TH10084 | 9A | | 2012 | 50 | 339,57 | 338,20 | — | 92 | 318 | 34,0 | 32,0 | 1,0 | 6,8 |
| | | 96 H100 | TH10096 | 7A | | 2517 | 60 | 388,08 | 386,71 | — | 106 | 366 | 34,0 | 45,0 | 5,5 | 8,2 |
| | | 120 H100 | TH10120 | 7A | | 2517 | 60 | 485,10 | 483,73 | — | 106 | 462 | 34,0 | 45,0 | 5,5 | 12,1 |

H 150 - 1/2" (12,7 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|------|------|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 H150 | TH15018 | 5F | F28 | 1210 | 32 | 72,77 | 71,39 | 79 | — | 52 | 45,0 | 25,0 | 20,0 | 0,6 |
| | | 19 H150 | TH15019 | 5F | F29 | 1210 | 32 | 76,81 | 75,44 | 83 | — | 56 | 45,0 | 25,0 | 20,0 | 0,7 |
| | | 20 H150 | TH15020 | 5F | F30 | 1210 | 32 | 80,55 | 79,48 | 87 | — | 60 | 45,0 | 25,0 | 20,0 | 0,8 |
| | | 21 H150 | TH15021 | 5F | F31 | 1210 | 32 | 84,89 | 83,52 | 91 | — | 64 | 45,0 | 25,0 | 20,0 | 1,0 |
| | | 22 H150 | TH15022 | 5F | F32 | 1210 | 32 | 88,94 | 87,56 | 93 | — | 67 | 45,0 | 25,0 | 20,0 | 1,2 |
| | | 23 H150 | TH15023 | 5F | F33 | 1610 | 42 | 92,98 | 91,61 | 97 | — | 70 | 45,0 | 25,0 | 20,0 | 1,3 |
| | | 24 H150 | TH15024 | 5F | F34 | 1610 | 42 | 97,02 | 95,65 | 102 | — | 74 | 45,0 | 25,0 | 20,0 | 1,0 |
| | | 25 H150 | TH15025 | 5F | F35 | 1610 | 42 | 101,06 | 99,69 | 106 | — | 77 | 45,0 | 25,0 | 20,0 | 1,2 |
| | | 26 H150 | TH15026 | 5F | F36 | 1610 | 42 | 105,11 | 103,73 | 112 | — | 82 | 45,0 | 25,0 | 20,0 | 1,4 |
| | | 27 H150 | TH15027 | 5F | F37 | 1610 | 42 | 109,15 | 107,78 | 115 | — | 85 | 45,0 | 25,0 | 20,0 | 1,6 |
| | | 28 H150 | TH15028 | 5F | F38 | 1610 | 42 | 113,19 | 111,82 | 120 | — | 90 | 45,0 | 25,0 | 20,0 | 1,8 |
| | | 30 H150 | TH15030 | 5F | F40 | 1610 | 42 | 121,28 | 119,90 | 128 | — | 98 | 45,0 | 25,0 | 20,0 | 2,3 |
| | | 32 H150 | TH15032 | 5WF | F42 | 1610 | 42 | 129,36 | 127,99 | 135 | 80 | 106 | 45,0 | 25,0 | 20,0 | 2,3 |
| | | 36 H150 | TH15036 | 5WF | F48 | 1610 | 42 | 145,53 | 144,16 | 150 | 92 | 121 | 45,0 | 25,0 | 20,0 | 3,1 |
| | | 40 H150 | TH15040 | 5WF | F52 | 1610 | 42 | 161,70 | 160,33 | 168 | 92 | 138 | 45,0 | 25,0 | 20,0 | 4,0 |
| | | 44 H150 | TH15044 | 5WF | F55 | 2012 | 50 | 177,87 | 176,50 | 184 | 106 | 152 | 45,0 | 32,0 | 13,0 | 4,4 |
| 48 H150 | TH15048 | 5WF | F59 | 2012 | 50 | 194,04 | 192,67 | 200 | 106 | 169 | 45,0 | 32,0 | 13,0 | 4,8 | | |
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 H150 | TH15060 | 9A | | 2012 | 50 | 242,55 | 241,18 | — | 92 | 223 | 46,0 | 32,0 | 7,5 | 5,4 |
| | | 72 H150 | TH15072 | 9A | | 2012 | 50 | 291,06 | 289,69 | — | 92 | 270 | 46,0 | 32,0 | 7,5 | 6,5 |
| | | 84 H150 | TH15084 | 9A | | 2012 | 50 | 339,57 | 338,20 | — | 92 | 318 | 46,0 | 32,0 | 7,5 | 8,4 |
| | | 96 H150 | TH15096 | 9A | | 2517 | 60 | 388,08 | 386,71 | — | 106 | 366 | 46,0 | 45,0 | 0,5 | 11,0 |
| | | 120 H150 | 3E 73120 | 9A | | 2517 | 60 | 485,10 | 483,73 | — | 106 | 462 | 46,0 | 45,0 | 0,5 | 14,8 |

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos

H 200 - 1/2" (12,7 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|------|------|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 H 200 | TH20018 | 5F | F28 | 1210 | 32 | 72,77 | 71,39 | 79 | — | 52 | 58,0 | 25,0 | 33,0 | 0,8 |
| | | 19 H 200 | TH20019 | 5F | F29 | 1210 | 32 | 76,81 | 75,44 | 83 | — | 56 | 58,0 | 25,0 | 33,0 | 0,9 |
| | | 20 H 200 | TH20020 | 5F | F30 | 1610 | 42 | 80,55 | 79,48 | 87 | — | 60 | 58,0 | 25,0 | 33,0 | 1,0 |
| | | 21 H 200 | TH20021 | 5F | F31 | 1610 | 42 | 84,89 | 83,52 | 91 | — | 64 | 58,0 | 25,0 | 33,0 | 1,7 |
| | | 22 H 200 | TH20022 | 5F | F32 | 1610 | 42 | 88,94 | 87,56 | 93 | — | 67 | 58,0 | 25,0 | 33,0 | 1,5 |
| | | 23 H 200 | TH20023 | 5F | F33 | 1610 | 42 | 92,98 | 91,61 | 97 | — | 70 | 58,0 | 25,0 | 33,0 | 1,8 |
| | | 24 H 200 | TH20024 | 5F | F34 | 1610 | 42 | 97,02 | 95,65 | 102 | — | 74 | 58,0 | 25,0 | 33,0 | 1,5 |
| | | 25 H 200 | TH20025 | 5F | F35 | 1610 | 42 | 101,06 | 99,69 | 106 | — | 77 | 58,0 | 25,0 | 33,0 | 1,5 |
| | | 26 H 200 | TH20026 | 5F | F36 | 1610 | 42 | 105,11 | 103,73 | 112 | — | 82 | 58,0 | 25,0 | 33,0 | 1,8 |
| | | 27 H 200 | TH20027 | 5F | F37 | 1610 | 42 | 109,15 | 107,78 | 115 | — | 85 | 58,0 | 25,0 | 33,0 | 1,9 |
| | | 28 H 200 | TH20028 | 5F | F38 | 1610 | 42 | 113,19 | 111,82 | 120 | — | 90 | 58,0 | 25,0 | 33,0 | 1,9 |
| | | 30 H 200 | TH20030 | 5F | F40 | 1610 | 42 | 121,28 | 119,90 | 128 | — | 98 | 58,0 | 25,0 | 33,0 | 2,3 |
| | | 32 H 200 | TH20032 | 5F | F42 | 2012 | 50 | 129,36 | 127,99 | 135 | — | 106 | 58,0 | 32,0 | 26,0 | 3,0 |
| | | 36 H 200 | TH20036 | 5WF | F48 | 2012 | 50 | 145,53 | 144,16 | 150 | 102 | 121 | 58,0 | 32,0 | 26,0 | 3,0 |
| | | 40 H 200 | TH20040 | 5WF | F52 | 2012 | 50 | 161,70 | 160,33 | 168 | 106 | 140 | 58,0 | 32,0 | 26,0 | 3,6 |
| | | 44 H 200 | TH20044 | 5WF | F55 | 2012 | 50 | 177,87 | 176,50 | 184 | 106 | 150 | 58,0 | 32,0 | 26,0 | 4,0 |
| 48 H 200 | TH20048 | 5WF | F59 | 2517 | 60 | 194,04 | 192,67 | 200 | 119 | 168 | 58,0 | 45,0 | 13,0 | 4,6 | | |
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 H 200 | TH20060 | 9A | | 2517 | 60 | 242,55 | 241,18 | — | 119 | 223 | 60,0 | 45,0 | 7,5 | 7,0 |
| | | 72 H 200 | TH20072 | 9A | | 2517 | 60 | 291,06 | 289,69 | — | 119 | 270 | 60,0 | 45,0 | 7,5 | 8,0 |
| | | 84 H 200 | TH20084 | 9A | | 2517 | 60 | 339,57 | 338,20 | — | 119 | 318 | 60,0 | 45,0 | 7,5 | 9,0 |
| | | 96 H 200 | TH20096 | 9A | | 2517 | 60 | 388,08 | 386,71 | — | 119 | 366 | 60,0 | 45,0 | 7,5 | 10,0 |
| | | 120 H 200 | TH20120 | 9A | | 2517 | 60 | 485,10 | 483,73 | — | 119 | 462 | 60,0 | 45,0 | 7,5 | 13,4 |

H 300 - 1/2" (12,7 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|--|-------------------------------------|--|---|---|--------|--------|--------|--------|-----|------|------|------|--|
| ACCIAIO STEEL STAHL ACIER ACERO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 20 H 300 | TH30020 | 4F | F31 | 1615 | 42 | 80,85 | 79,48 | 87 | — | 65 | 84,0 | 38,0 | 23,0 | 1,5 |
| | | 21 H 300 | TH30021 | 4F | F31 | 1615 | 42 | 84,89 | 83,52 | 91 | — | 65 | 84,0 | 38,0 | 23,0 | 1,2 |
| | | 22 H 300 | TH30022 | 4F | F32 | 1615 | 42 | 88,94 | 87,56 | 93 | — | 67 | 84,0 | 38,0 | 23,0 | 1,6 |
| | | 23 H 300 | TH30023 | 4F | F33 | 1615 | 42 | 92,98 | 91,61 | 97 | — | 70 | 84,0 | 38,0 | 23,0 | 1,8 |
| | | 24 H 300 | TH30024 | 4F | F34 | 1615 | 42 | 97,02 | 95,65 | 102 | — | 74 | 84,0 | 38,0 | 23,0 | 2,0 |
| | | 25 H 300 | TH30025 | 4F | F35 | 1615 | 42 | 101,06 | 99,69 | 106 | — | 77 | 84,0 | 38,0 | 23,0 | 2,0 |
| | | 26 H 300 | TH30026 | 4F | F36 | 1615 | 42 | 105,11 | 103,73 | 112 | — | 82 | 84,0 | 38,0 | 23,0 | 2,7 |
| | | 27 H 300 | TH30027 | 4F | F37 | 2012 | 50 | 109,15 | 107,78 | 115 | — | 85 | 84,0 | 32,0 | 26,0 | 3,0 |
| | | 28 H 300 | TH30028 | 4F | F38 | 2012 | 50 | 113,19 | 111,82 | 120 | — | 90 | 84,0 | 32,0 | 26,0 | 2,4 |
| | | 30 H 300 | TH30030 | 4F | F40 | 2012 | 50 | 121,28 | 119,90 | 128 | — | 98 | 84,0 | 32,0 | 26,0 | 2,9 |
| | | 32 H 300 | TH30032 | 4F | F42 | 2517 | 60 | 129,36 | 127,99 | 135 | — | 106 | 84,0 | 45,0 | 19,5 | 3,3 |
| | | 36 H 300 | TH30036 | 4WF | F48 | 2517 | 60 | 145,53 | 144,16 | 150 | — | 121 | 84,0 | 45,0 | 19,5 | 4,5 |
| | | 40 H 300 | TH30040 | 4WF | F52 | 2517 | 60 | 161,70 | 160,33 | 168 | — | 138 | 84,0 | 45,0 | 19,5 | 6,0 |
| | | 44 H 300 | TH30044 | 4WF | F55 | 2517 | 60 | 177,87 | 176,50 | 184 | 119 | 150 | 86,0 | 45,0 | 20,5 | 6,6 |
| | | 48 H 300 | TH30048 | 4WF | F59 | 2517 | 60 | 194,04 | 192,67 | 200 | 119 | 168 | 86,0 | 45,0 | 20,5 | 7,6 |
| | | GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 60 H 300 | TH30060 | 9A | | 2517 | 60 | 242,55 | 241,18 | — | 119 | 223 | 86,0 | 45,0 |
| 72 H 300 | TH30072 | | | 9A | | 2517 | 60 | 291,06 | 289,69 | — | 119 | 270 | 86,0 | 45,0 | 20,5 | 10,4 |
| 84 H 300 | TH30084 | | | 9A | | 2517 | 60 | 339,57 | 338,20 | — | 119 | 318 | 86,0 | 45,0 | 20,5 | 12,5 |
| 96 H 300 | TH30096 | | | 9A | | 3030 | 75 | 388,08 | 386,71 | — | 150 | 366 | 86,0 | 76,0 | 5,0 | 14,2 |
| 120 H 300 | TH30120 | | | 9A | | 3030 | 75 | 485,10 | 483,73 | — | 150 | 462 | 86,0 | 76,0 | 5,0 | 18,8 |

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos



XH 200 - 7/8" (22,225 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|-----|-----|----|-----|------|--|
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 XH 200 | TXH2018 | 5F | F44 | 2517 | 60 | 127.34 | 124.55 | 140 | - | 95 | 64 | 45 | 19 | |
| | | 20 XH 200 | TXH2020 | 5F | F49 | 2517 | 60 | 141.49 | 138.69 | 154 | - | 110 | 64 | 45 | 19 | |
| | | 22 XH 200 | TXH2022 | 5F | F52 | 2517 | 60 | 155.64 | 152.84 | 168 | - | 120 | 64 | 45 | 19 | |
| | | 24 XH 200 | TXH2024 | 5F | F55 | 2517 | 60 | 169.79 | 166.99 | 184 | - | 135 | 64 | 45 | 19 | |
| | | 26 XH 200 | TXH2026 | 5F | F59 | 2517 | 60 | 183.94 | 181.14 | 200 | - | 150 | 64 | 45 | 19 | |
| | | 28 XH 200 | TXH2028 | 4WF | F61 | 2517 | 60 | 198.08 | 195.29 | 212 | 120 | 165 | 64 | 45 | 9,5 | |
| | | 30 XH 200 | TXH2030 | 4WF | F62 | 2517 | 60 | 212.23 | 209.44 | 226 | 120 | 180 | 64 | 45 | 9,5 | |
| | | 32 XH 200 | TXH2032 | 4WF | F64 | 2517 | 60 | 226.38 | 223.59 | 240 | 120 | 195 | 64 | 45 | 9,5 | |
| | 40 XH 200 | TXH2040 | 4WF | F70 | 3020 | 75 | 282.98 | 280.18 | 296 | 160 | 245 | 64 | 51 | 9,5 | | |
| | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 48 XH 200 | TXH2048 | 9W | | 3020 | 75 | 339.57 | 336.78 | - | 160 | 300 | 64 | 51 | 6,5 | |
| | | 60 XH 200 | TXH2060 | 7A | | 3535 | 90 | 424.47 | 421.67 | - | 190 | 385 | 64 | 89 | 12,5 | |
| | | 72 XH 200 | TXH2072 | 7A | | 3535 | 90 | 509.4 | 506,56 | - | 190 | 470 | 64 | 89 | 12,5 | |
| | | 84 XH 200 | TXH2084 | 7A | | 3535 | 90 | 594.25 | 591,46 | - | 190 | 555 | 64 | 89 | 12,5 | |
| | | 96 XH 200 | TXH2096 | 7A | | 3535 | 90 | 679.15 | 676,35 | - | 190 | 640 | 64 | 89 | 12,5 | |
| | | 120 XH 200 | TXH2120 | 7A | | 3535 | 90 | 848.93 | 846,14 | - | 190 | 810 | 64 | 89 | 12,5 | |

XH 300 - 7/8" (22,225 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|-----|-----|----|-----|------|--|
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CON TAPETAS | 18 XH 300 | TXH3018 | 5F | F44 | 2517 | 60 | 127.34 | 124.55 | 140 | - | 95 | 64 | 45 | 19 | |
| | | 20 XH 300 | TXH3020 | 5F | F49 | 2517 | 60 | 141.49 | 138.69 | 154 | - | 110 | 64 | 45 | 19 | |
| | | 22 XH 300 | TXH3022 | 5F | F52 | 2517 | 60 | 155.64 | 152.84 | 168 | - | 120 | 64 | 45 | 19 | |
| | | 24 XH 300 | TXH3024 | 5F | F55 | 2517 | 60 | 169.79 | 166.99 | 184 | - | 135 | 64 | 45 | 19 | |
| | | 26 XH 300 | TXH3026 | 5F | F59 | 2517 | 60 | 183.94 | 181.14 | 200 | - | 150 | 64 | 45 | 19 | |
| | | 28 XH 300 | TXH3028 | 5F | F61 | 3020 | 75 | 198.08 | 195.29 | 212 | 120 | 165 | 64 | 45 | 9,5 | |
| | | 30 XH 300 | TXH3030 | 5F | F62 | 3020 | 75 | 212.23 | 209.44 | 226 | 120 | 180 | 64 | 45 | 9,5 | |
| | | 32 XH 300 | TXH3032 | 5F | F64 | 3020 | 75 | 226.38 | 223.59 | 240 | 120 | 195 | 64 | 45 | 9,5 | |
| | 40 XH 300 | TXH3040 | 4WF | F70 | 3020 | 75 | 282.98 | 280.18 | 296 | 160 | 245 | 64 | 51 | 9,5 | | |
| | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 48 XH 300 | TXH3048 | 9A | | 3020 | 75 | 339.57 | 336.78 | - | 160 | 300 | 64 | 51 | 6,5 | |
| | | 60 XH 300 | TXH3060 | 9A | | 3535 | 90 | 424.47 | 421.67 | - | 190 | 385 | 64 | 89 | 12,5 | |
| | | 72 XH 300 | TXH3072 | 9A | | 3535 | 90 | 509.4 | 506,56 | - | 190 | 470 | 64 | 89 | 12,5 | |
| | | 84 XH 300 | TXH3084 | 7A | | 4040 | 100 | 594.25 | 591,46 | - | 190 | 555 | 64 | 89 | 12,5 | |
| | | 96 XH 300 | TXH3096 | 7A | | 4040 | 100 | 679.15 | 676,35 | - | 190 | 640 | 64 | 89 | 12,5 | |
| | | 120 XH 300 | TXH3120 | 7A | | 4040 | 100 | 848.93 | 846,14 | - | 190 | 810 | 64 | 89 | 12,5 | |

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbuchsen
Poulies dentées pour moyeux amovibles
Poleas para correas dentadas para casquillos cónicos

XH 400 - 7/8" (22,225 mm)

| CARATTERISTICHE FEATURES MERKMALE CARACTERISTIQUES CARACTERÍSTICAS | | CODICE CODE SYMBOL FABRIKNUMMER CODE SYMBOLE NUMERO DE FABRICA | NOSTRO CODICE OUR CODE UNSER KODE NOTRE CODE NUESTRO CODIGO | TIPO TYPE TYP TYPE TIPO | TIPO FLANGIA FLANGES TYPE BORDSCHEIBEN TYP TYPE FLASQUES TIPO TAPETAS | BUSSOLA BUSH BUCHSE MOYEU CASQUILLO | FORO MAX. MAX. BORE MAX. BOHRUNG ALESAGE MAX. AGUJERO MAX. | Dp | De | Df | Dm | Di | F | S | R | PESO WEIGHT GEWICHT POIDS PESO Kg |
|--|--|---|---|-------------------------------------|--|---|---|--------|--------|-----|-----|-----|----|-----|------|--|
| GHISA CAST IRON GRAUGUSS FONTE HIERRO FUNDIDO | CON FLANGIA WITH FLANGES MIT FLANSCHEN AVEC FLASQUES CONTAPETAS | 18 XH 400 | TXH4018 | 5F | F44 | 2517 | 60 | 127.34 | 124.55 | 140 | - | 95 | 64 | 45 | 19 | |
| | | 20 XH 400 | TXH4020 | 5F | F49 | 2517 | 60 | 141.49 | 138.69 | 154 | - | 110 | 64 | 45 | 19 | |
| | | 22 XH 400 | TXH4022 | 5F | F52 | 2517 | 60 | 155.64 | 152.84 | 168 | - | 120 | 64 | 45 | 19 | |
| | | 24 XH 400 | TXH4024 | 5F | F55 | 3020 | 75 | 169.79 | 166.99 | 184 | - | 135 | 64 | 45 | 19 | |
| | | 26 XH 400 | TXH4026 | 5F | F59 | 3020 | 75 | 183.94 | 181.14 | 200 | - | 150 | 64 | 45 | 19 | |
| | | 28 XH 400 | TXH4028 | 5F | F61 | 3020 | 75 | 198.08 | 195.29 | 212 | 120 | 165 | 64 | 45 | 9,5 | |
| | | 30 XH 400 | TXH4030 | 5F | F62 | 3020 | 75 | 212.23 | 209.44 | 226 | 120 | 180 | 64 | 45 | 9,5 | |
| | | 32 XH 400 | TXH4032 | 5F | F64 | 3020 | 75 | 226.38 | 223.59 | 240 | 120 | 195 | 64 | 45 | 9,5 | |
| | 40 XH 400 | TXH4040 | 4WF | F70 | 3535 | 90 | 282.98 | 280.18 | 296 | 160 | 245 | 64 | 51 | 9,5 | | |
| | SENZA FLANGIA WITHOUT FLANGES OHNE FLANSCHEN SANS FLASQUES SIN TAPETAS | 48 XH 400 | TXH4048 | 9W | | 3535 | 90 | 339.57 | 336.78 | - | 160 | 300 | 64 | 51 | 6,5 | |
| | | 60 XH 400 | TXH4060 | 9A | | 4040 | 100 | 424.47 | 421.67 | - | 190 | 385 | 64 | 89 | 12,5 | |
| | | 72 XH 400 | TXH4072 | 9A | | 4040 | 100 | 509.4 | 506,56 | - | 190 | 470 | 64 | 89 | 12,5 | |
| | | 84 XH 400 | TXH4084 | 9A | | 4040 | 100 | 594.25 | 591,46 | - | 190 | 555 | 64 | 89 | 12,5 | |
| | | 96 XH 400 | TXH4096 | 9A | | 4040 | 100 | 679.15 | 676,35 | - | 190 | 640 | 64 | 89 | 12,5 | |
| | | 120 XH 4000 | TXH4120 | 9A | | 4040 | 100 | 848.93 | 846,14 | - | 190 | 810 | 64 | 89 | 12,5 | |